Terminal edges and nosing profile trims for coverings in PVC, linoleum or other thin material coverings, with $2 \div 3$ mm thickness, just like the needle-punched pressed rugs.

These profiles ensure a clean and neat finish with a slight extra height adding and hide cutting imperfections.

linotec™





LINOTEC AP 17 AS* Anodised Aluminium (with adhesive)

Flat level terminal trim slightly rounded and self-adhesive for mismatching 2 ÷ 3 mm floors. Profile developed in Silver anodised aluminium which is well suited for domestic environments and colour combinations. Available also in the non-adhesive version (ASN).



	B=mm		Art.	
Material: Extruded anodised aluminium	17 17	AP AP	17 17	ASA ASN
Length: 2,70 metres				

LINOTEC AP 19 OL* Polished Brass (with adhesive)


Flat level terminal trim slightly rounded and self-adhesive for mismatching $2\div 3$ mm floors. Solid brass polished profile with good resistance to mechanical impact, chemical corrosion and wear and tear.

Available also in the non-adhesive version (ASN).

Material: Extruded Brass	19 19	AP AP	19 19	OLA OLN
Finish: Polished (OL*)				
Length: 2,70 metres				
Superficie con film protettivo				

LINOTEC AV 30 OL* Polished Brass (with adhesive)

A well contoured profile for mismatching floors from 2 ÷ 3 mm. Solid brass polished profile highly resistant to mechanical impact, chemical corrosion and wear and tear. Also not self-adhesive.




Material: Laminated Brass	30	AV	30	OLA
Finish: Polished (OL*)				
Length: 2,70 metres				

△: Pre-cut length available in SELFLINE kit L= 0,90/1,35 m

STAIRTEC SC 30 A*N Anodised Aluminium

Stair nosing profile for resilient flooring suitable for thicknesses ranging between 2 and 3 mm. Fast and lasting stair step finish.



	H¹+H		Art.	
Material:	2,5+30	SC	30	ASN
Extruded anodised	2,5+30	SC	30	AON
aluminium	2,5+30	SC	30	ABN
Finish: Silver (AS), Gold (AO), Bronze (AB)				
Length: 2,70 metres				